

Convection oven, universal



Description

Features

• Power load:	2,5 kW 230 V 50/60 Hz
• Equipment connection:	Pluggable
• Temperature range:	50 °C to 250 °C
• Functions:	Circulating air
• Type of drawers:	Crosswise
• Number of drawers:	4
• Water connection:	-
• Time adjustment:	0 to 120 minutes
• Material cooking chamber:	Stainless steel
• Properties:	Pluggable
• Size inside:	W 404 x D 308 x H 254 mm
• LED display:	-
• Timer:	Yes
• Thermostat:	Yes
• Material:	Stainless steel
• Control unit:	Electronic

▶ Continue on the next page

Convection oven, universal

- Including: 1 tray
1 grid
- Important information: -
- Distance between trays: 55 mm
- Interior lighting: No
- Control lamp: Heat up
- Heat-up time: approx. 6 minutes (163 °C)
- ON/OFF switch: No
- Temperature control: Thermostatic
Stepless
5 levels
- Size: W 530 x D 495 x H 320 mm
- Weight: 17.5 kg



Convection oven, universal

Add on Products

Baking tray for A120880

- Important information: -
- Size: W 400 x D 280 x H 11 mm
- Weight: 0.3 kg

Code-No. A120702
GTIN 4015613404127

Oven grid for A120880



- Important information: -
- Size: W 400 x D 290 x H 20 mm
- Weight: 0.55 kg

Code-No. A120701
GTIN 4015613404110

Toast tongs 100

STAINLESS
STEEL



- Material: Stainless steel
- Important information: -
- Size: W 101 x D 340 x H 70 mm
- Weight: 0.24 kg

Code-No. A151301
GTIN 4015613753119